Colloids and Surfaces, 37 (1989) 395–396
Elsevier Science Publishers B.V., Amsterdam — Printed in The Netherlands

Author Index

Abe, M. 211
Arai, T. 357
Arai, Y. 387
Arnaud, M. 235
Avnir, D. 155

Barroug, A. 339
Bottero, J.Y. 269, 281

Carrott, P.J.M. 1
Cases, J.M. 235, 269, 281
Choma, J. 183
Condon, J.B. 171

Denoyel, R. 295
Drummond, F.C. 1

Escudey, M. 141
Esser, U. 93

Farin, D. 155
Findenegg, G.H. 223
Fukuchi, K. 387
Fuller, Jr, E.L. 171

Giesche, H. 93
Goto, M. 369
Goto, S. 369
Gotoh, Y. 149
Groszek, A. 309

Hachiya, K. 205
Hanai, H. 319

Ishikawa, T. 71

Jaroniec, M. 183

Kaneko, K. 81, 115, 329
Kaneko, Y. 211
Kato, M. 15
Kawaguchi, M. 319
Keh, E. 309
Kenny, M.B. 1
Kittaka, S. 39
Komiyama, M. 125
Kondo, S. 71

Kunjappu, J.T. 245

Lemaitre, J. 339
Lindheimer, M. 309
Lyklema, J. 197

Mather, R.R. 131
Matsumoto, A. 81
Miyajima, K. 357
Miyashita, I. 39
Mizoe, K. 29
Moya, S.A. 141
Müller, U. 93

Nagata, N. 319
Nakagaki, M. 357
Nakamae, K. 379
Nakano, S. 379
Naono, H. 55

Ogino, K. 211
Ogino, Y. 125
Oowaki, Y. 329
Ozeki, S. 329

Partyka, S. 235, 309
Pasucha, B. 223

Roberts, R.A. 1
Rouquerol, F. 295
Rouquerol, J. 295
Rouxhet, P.G. 339

Shimabayashi, S. 357
Sing, K.S.W. 1
Somasundaran, P. 245
Strunk, H. 223
Sumiya, K. 379

Takahashi, A. 319
Takaishi, T. 15
Takeda, K. 205
Tanaka, H. 357
Tanigawa, S. 379
Thomas, F. 269, 281
Tsutsumi, K. 29

Uchida, N. 39

Unger, K.K. 93

Vook, R.W. 149

Wakayama, T. 39

Yamauchi, H. 71
Yang, B.-L. 369
Yasunaga, T. 205
Yoshioka, A. 319

Colloids and Surfaces, 37 (1989) 397–398
Elsevier Science Publishers B.V., Amsterdam — Printed in The Netherlands

Subject Index

Activated carbon, 115, 183, 387
  fibre, 211
Adsorbed amount, 319
Adsorbent heterogeneity, 183
Adsorption, 125, 131, 171, 183, 235, 269, 281
  295, 319, 339, 357
  equilibria, 387
  from solution, 223
  isotherm, 329
  models, 245
  of ions, 197
  of Li^+, 205
  potentials, 15
  structure, 149
  thermodynamics, 197
Aerosol-OT, 71
Affinity, 369
Aggregate, 131
Aggregation, 55
Alumina, 155, 269, 281, 295
Anionic surfactants, 295
Apatite, 339
Asbestos, 329
Auger electron spectroscopy, 149
Average electrostatic field strength, 211

Batch, 369
  microcalorimetry, 295
Benzene adsorption, 183

Calorimetry, 223, 235
Carbon monoxide, 149
Catalysts, 141
Chemisorption, 81, 115, 171
Chondroitin sulphate, 357
Chrysotile, 329
Cobalt oxide hydroxide, 39
Colloidal silica, 71
Competitive adsorption, 379
Conformation of adsorbed polymer, 155

Desorption energy, 149
Desorption kinetics, 1
Dilute aqueous solutions, 387
Disperse, 131
Double layer,
  thermodynamics, 197
Dubinin–Radushkevich equation, 183

Dye, 131

Electrochemistry, 269, 281
  interfacial, 197
Electrosorption, 197
Energy, 171
Enthalpy,
  of adsorption of solution, 309
  of displacement, 223
  of mixing, 309
Epitaxial growth, 149
ESR, 245

γ-FeOOH, 81
γ-Fe_2O_3, 379
Ferrierite, 15
Fixed bed, 369
Fractal model, 155
FTIR, 235

Galena, 235
Glycosaminoglycan, 357
Graphite, 223

Heat of adsorption, 29, 211
α-Helix, 329
Heterogeneity, 171
Homogeneity, 171
Hyaluronate, 357
Hydrogen adsorption, 125
Hydrophilic group, 379
Hydrophobic surfaces, 223
Hydrophobic zeolites, 29
Hydroxyapatite, 357
Hysteresis, 93

Immersional heat, 211
Incongruent dissolution, 357
Infrared spectroscopy, 81, 125
In-situ studies, 245
Ion exchange, 357
Ion exchanger, 205
Iron oxide, 115
  supported catalysts, 141
Isotherm, 131
Isothermal desorption spectroscopy, 149
Isotherms, 171

Kinetics, 205

Liquid flow microcalorimetry 295
Low energy electron diffraction, 149
Luminescence spectroscopy, 245
Lysozyme, 339

Magnesium hydroxide, 55
Mercury porosimetry, 93
Microcalorimeter, 309
Microemulsion, 71
Micropore, 71
  filling, 115
Microporosity, 171, 183
Microporous carbons, 1
Microporous texture, 55
Model pore structures, 93
Molecular weight, 379
Monodisperse silicon, 93

Nitrogen, 131
  sorption, 93
NO, 115
Nonane preadsorption, 1
Nonionic surfactants, 223

Organic solutes, 387
Oxides,
  double layer on, 197

Palladium film, 149
Physical adsorption, 115
Platinum, 125
Polybutadiene, 319
Poly-L-lysine, 329
Polymer, 379
  adsorption, 155
Polystyrene, 155
Pore formation, 39
Porosity, 171
Precipitation, 235
Preferential adsorption, 319
Pressure-jump method, 205

Primary particle, 55
Process time, 369
Protein adsorption, 339

Raman spectroscopy, 245
Random coil, 329
Rare gas, 15
Rhenium, 125

Salicyclic acid surfactants, 269, 281
Scaling law, 155, 329
Separation, 369
CM-Sephadex, 205
Silanol group, 319
Silica, 71, 319
SO_2, 81
Soil, 141
Solid/liquid interface, 245
Solubility product, 357
Sphalerite, 235
Statistical mechanical, 171
Stern layer, 197
Supercritical gas, 115
Surface area, 171
  specific, 183
Surfactants and polymers, 245

t Plot, 55
Temperature programmed decomposition, 39
Thermal decomposition, 39, 55
Three-body interaction, 15
Titania, 125
Topotactic decomposition, 39

Virial coefficients, 15

Water adsorption, 29

Xanthate, 235

Zeta potential, 339
ZSM-5, 29

Contents

Preface vii
Desorption of n-nonane from microporous carbons
P.J.M. Carrott, F.C. Drummond, M.B. Kenny, R.A. Roberts and K.S.W. Sing (Uxbridge, United Kingdom) 1
Adsorption potential and the mutual interaction potential between adsorbates: Rare gases in the pore of ferrierite
T. Takaishi and M. Kato (Toyohashi, Japan) 15
Heats of adsorption of water on hydrophobic zeolites
K. Tsutsumi and K. Mizoe (Toyohashi, Japan) 29
Thermal decomposition and pore formation of cobalt oxide hydroxide ($HCoO_2$)
S. Kittaka, N. Uchida, I. Miyashita and T. Wakayama (Okayama, Japan) 39
Micropore formation due to thermal decomposition of magnesium hydroxide
H. Naono (Nishinomiya, Japan) 55
Surface characterization of ultramicro spherical particles of silica prepared by W/O microemulsion method
H. Yamauchi, T. Ishikawa and S. Kondo (Osaka, Japan) 71
Infrared study on SO_2 chemisorption activity of crystallite-size controlled γ-FeOOH
A. Matsumoto and K. Kaneko (Chiba, Japan) 81
Hysteresis in nitrogen sorption and mercury porosimetry on mesoporous model adsorbents made of aggregated monodisperse silica spheres
H. Giesche (Potsdam, NY, U.S.A.), K.K. Unger, U. Müller and U. Esser (Mainz, F.R.G.) 93
Effect of temperature on micropore filling of supercritical NO on Fe_2O_3-dispersed activated carbon fibers
K. Kaneko (Chiba, Japan) 115
Mechanism of hydrogen adsorption-induced optical density changes in metal-loaded titania
M. Komiyama and Y. Ogino (Sendai, Japan) 125
Aggregate structures of samples of the disperse dye, C.I. Disperse Blue 79
R.R. Mather (Netherdale, United Kingdom) 131
Use of volcanic-ash-derived soil as iron oxide supported catalysts
M. Escudey and S.A. Moya (Santiago, Chile) 141
Adsorption structure of CO on Pd(111) films and measurement of desorption energy of CO from the films
Y. Gotoh (Chiba, Japan) and R.W. Vook (Syracuse, NY, U.S.A.) 149
The effects of the fractal geometry of surfaces on the adsorption conformation of polymers at monolayer coverage. Part I. The case of polystyrene
D. Farin and D. Avnir (Jerusalem, Israel) 155
Statistical mechanical evaluation of surface area from physical adsorption of gases
E.L. Fuller, Jr and J.B. Condon (Oak Ridge, TN, U.S.A.) 171
A new description of micropore filling and its application for characterizing microporous solids
M. Jaroniec (Lublin, Poland) and J. Choma (Warsaw, Poland) 183
Discrimination between physical and chemical adsorption of ions on oxides
J. Lyklema (Wageningen, The Netherlands) 197
Application of the pressure-jump method to adsorption–desorption kinetics: Adsorption–desorption of the lithium ion on the carboxymethyl group of Sephadex C-25(Li)
K. Hachiya (Okayama, Japan), T. Yasunaga (Osaka, Japan) and K. Takeda (Okayama, Japan) 205
Adsorption characteristics of organic compounds dissolved in water on surface-improved activated carbon fibres
Y. Kaneko (Kanagawa, Japan), M. Abe and K. Ogino (Chiba, Japan) 211
Adsorption of non-ionic surfactants from aqueous solutions on graphite: Adsorption isotherms and calorimetric enthalpies of displacement for C_8E_4 and related compounds
G.H. Findenegg, B. Pasucha and H. Strunk (Bochum, F.R.G.) 223

Ethylxanthate adsorption onto galena and sphalerite
M. Arnaud, S. Partyka (Montpellier, France) and J.M. Cases (Vandoeuvre, France) 235
In-situ investigation of adsorbed surfactants and polymers on solids in solution
P. Somasundaran and J.T. Kunjappu (New York, NY, U.S.A.) 245
An experimental study of the adsorption mechanisms of aqueous organic acids on porous aluminas. 1. The porosity of the adsorbent: A determining factor for the adsorption mechanisms
F. Thomas, J.Y. Bottero and J.M. Cases (Vandoeuvre, France) 269
An experimental study of the adsorption mechanisms of aqueous organic acids on porous aluminas. 2. Electrochemical modelling of salicylate adsorption
F. Thomas, J.Y. Bottero and J.M. Cases (Vandoeuvre, France) 281
Adsorption of anionic surfactants on alumina: Complementarity of the information provided by batch and liquid flow microcalorimetry
R. Denoyel, F. Rouquerol and J. Rouquerol (Marseille, France) 295
A new microcalorimeter for the study of solutions, adsorption and suspensions
S. Partyka, E. Keh, M. Lindheimer (Montpellier, France) and A. Groszek (London, United Kingdom) 309
Adsorption of polybutadienes with polar group terminations on the solid surface. II. Molecular weight dependence
M. Kawaguchi, H. Hanai, A. Takahashi (Mie, Japan), N. Nagata and A. Yoshioka (Kanagawa, Japan) 319
Interaction between poly-L-lysine and synthetic chrysotile asbestos
S. Ozeki, Y. Oowaki and K. Kaneko (Chiba, Japan) 329
Lysozyme on apatites: A model of protein adsorption controlled by electrostatic interactions
A. Barroug, J. Lemaitre and P.G. Rouxhet (Louvain-la-Neuve, Belgium) 339
Effect of adsorption of glycosaminoglycans on the dissolution properties of hydroxyapatite
H. Tanaka, T. Arai, K. Miyajima (Kyoto, Japan), S. Shimabayashi (Tokushima, Japan) and M. Nakagaki (Tokyo, Japan) 357
Affinity separation by the combined process of batch adsorption and fixed bed elution
B.-L. Yang, M. Goto and S. Goto (Nagoya, Japan) 369
The effect of molecular weight and hydrophilic groups on the adsorption behavior of polymers onto magnetic particles
K. Nakamae, S. Tanigawa, S. Nakano and K. Sumiya (Nada Kobe, Japan) 379
Measurement and prediction of adsorption equilibria of organic solutes from dilute aqueous solutions on activated carbon
K. Fukuchi (Ube, Japan) and Y. Arai (Fukuoka, Japan) 387

Author Index 395
Subject Index 397